

Onko vihreää ICT:tä ?

Green ICT -ekosysteemitapaaminen 26.2.2026

Jukka Manner

Professori, FT



Aalto-yliopisto
Aalto-universitetet
Aalto University

ELEC-D7020 - Elements of Sustainable ICT



ELEC-D7020 - Elements of Sustainable ICT D, Lecture, 7.1.2026-17.4.2026
Department of Information and Communications Engineering



ELEC-D7020 - Elements of Sustainable ICT D, Lecture, 7.1.2025-8.4.2025
Department of Information and Communications Engineering



ELEC-D7020 - Elements of Sustainable ICT, Lecture, 9.1.2024-9.4.2024
Department of Information and Communications Engineering

Sisältö

- **Miten laskenta on kehittynyt ?**
- **Miten ohjelmointi on kehittynyt ?**
- **Miten laitteet ovat kehittyneet ?**
- **Onko vihreää koodausta ja ICT:tä ?**

Vihreästä näkökulmasta

Sisältö

- **Miten laskenta on kehittynyt ?**
- Miten ohjelmointi on kehittynyt ?
- Miten laitteet ovat kehittyneet ?
- Onko vihreää koodausta ja ICT:tä ?


ASCI White (2000)
4900 GFLOPS



https://en.wikipedia.org/wiki/ASCI_White

Samsung Galaxy S23 Ultra
3681 GFLOPS





32-core GPU

4096 execution units

Up to 98,304 concurrent threads

10.4 teraflops


327 gigatexels/second

164 gigapixels/second

ASCI White (2000)
3MWatts laskenta +
3MWatts jäähdytys (!)

Samsung Galaxy S23 Ultra
6 Wattia (näytön kanssa) ?

1'000'000
X




Qualcomm Snapdragon 8 Gen 2
Thermal Design Power 6.3W (ability to
dissipate heat from micro chips)

Google Environmental Report 2024

FIGURE 17 Renewable energy purchasing compared with total electricity

Legend

- Total electricity consumption
- Renewable energy purchases




Google Environmental Report 2024

FIGURE 17 Renewable energy purchasing compared with total electricity

Legend

- Total electricity consumption
- Renewable energy purchases



Ireland's datacentres overtake electricity use of all urban homes combined

Statistics raise concerns that rise in demand for data processing driven by AI could derail climate targets



<https://www.theguardian.com/world/article/2024/jul/23/ireland-datacentres-overtake-electricity-use-of-all-homes-combined-figures-show>




Figure ES-1. Total U.S. data center electricity use from 2014 through 2028.

Laskennan tarpeen muutos

Internet- ja pilvipalvelut



1990 – 2023 < 3,5 kW

Internet- ja pilvipalvelut
+ AI



2023 – 2024 → 3,5 ... 10 kW

3 x Gigabyte H100 – 28 kW

AI nyt




2025 – 2027 → 30 –

130 kW

NVIDIA NVL72 – 132
kW

AI pian



2027 → 250...1000 kW

Dell IR7000 – 480 kW

Mistä uusi energia tulee ?

Uusiutuva ?

Amazon buys nuclear-powered data center from Talen

Thu, Mar 7, 2024, 3:01PM | Nuclear News



Susquehanna nuclear plant in Salem Township, Penn., along with the data center in foreground. (Photo: Talen Energy)

Talen Energy announced its sale of a 960-megawatt data center campus to cloud service provider Amazon Web Services (AWS), a subsidiary of Amazon, for \$650 million.

<https://www.ans.org/news/article-5842/amazon-buys-nuclearpowered-data-center-from-talen/>

Microsoft chooses infamous nuclear site for AI power

20 September 2024

Share Save

Natalie Sherman
BBC News



America's Three Mile Island energy plant, the site of the worst nuclear accident in US history, is preparing to reopen as Microsoft looks for ways to satisfy its growing energy needs.

ELECTRIC POWER, NATURAL GAS

August 25, 2025

Gas utilities in the US advance data center deals as power bottlenecks persist




By Tom DiChristopher

Sisältö

- Miten laskenta on kehittynyt ?
- **Miten ohjelmointi on kehittynyt ?**
- Miten laitteet ovat kehittyneet ?
- Onko vihreää koodausta ja ICT:tä ?

Top programming languages on GitHub

RANKED BY COUNT OF DISTINCT USERS CONTRIBUTING TO PROJECTS OF EACH LANGUAGE.



<https://github.blog/news-insights/octoverse/octoverse-2024/>

ANALYSIS COMPUTING

The Top Programming Languages 2025 > Does AI mean the end for the Top Programming Languages?

BY STEPHEN CASS | 23 SEP 2025 | 6 MIN READ |

Stephen Cass is the special projects editor at IEEE Spectrum.

SHARE THIS STORY



TAGS

TOP PROGRAMMING LANGU...


PYTHON JAVASCRIPT

SQL VIBE CODING

PROGRAMMINIG

Top Programming Languages 2025

Click a button to see a differently weighted ranking



Energy usage of programming languages

		Total			
	Energy		Time		Mb
(c) C	1.00	(c) C	1.00	(c) Pascal	1.00
(c) Rust	1.03	(c) Rust	1.04	(c) Go	1.05
(c) C++	1.34	(c) C++	1.56	(c) C	1.17
(c) Ada	1.70	(c) Ada	1.85	(c) Fortran	1.24
(v) Java	1.98	(v) Java	1.89	(c) C++	1.34
(c) Pascal	2.14	(c) Chapel	2.14	(c) Ada	1.47
(c) Chapel	2.18	(c) Go	2.83	(c) Rust	1.54
(v) Lisp	2.27	(c) Pascal	3.02	(v) Lisp	1.92
(c) Ocaml	2.40	(c) Ocaml	3.09	(c) Haskell	2.45
(c) Fortran	2.52	(v) C#	3.14	(i) PHP	2.57
(c) Swift	2.79	(v) Lisp	3.40	(c) Swift	2.71
(c) Haskell	3.10	(c) Haskell	3.55	(i) Python	2.80
(v) C#	3.14	(c) Swift	4.20	(c) Ocaml	2.82
(c) Go	3.23	(c) Fortran	4.20	(v) C#	2.85
(i) Dart	3.83	(v) F#	6.30	(i) Hack	3.34
(v) F#	4.13	(i) JavaScript	6.52	(v) Racket	3.52
(i) JavaScript	4.45	(i) Dart	6.67	(i) Ruby	3.97
(v) Racket	7.91	(v) Racket	11.27	(c) Chapel	4.00
(i) TypeScript	21.50	(i) Hack	26.99	(v) F#	4.25
(i) Hack	24.02	(i) PHP	27.64	(i) JavaScript	4.59
(i) PHP	29.30	(v) Erlang	36.71	(i) TypeScript	4.69
(v) Erlang	42.23	(i) Jruby	43.44	(v) Java	6.01
(i) Lua	45.98	(i) TypeScript	46.20	(i) Perl	6.62
(i) Jruby	46.54	(i) Ruby	59.34	(i) Lua	6.72
(i) Ruby	69.91	(i) Perl	65.79	(v) Erlang	7.20
(i) Python	75.88	(i) Python	71.90	(i) Dart	8.64
(i) Perl	79.58	(i) Lua	82.91	(i) Jruby	19.84

Pereira, R., Couto, M., Ribeiro, F., Cunha, J., Fernandes, J. P., & Saraiva, J. (2017). Energy Efficiency across Programming Languages. Proceedings of the 10th ACM SIGPLAN International Conference on Software Language Engineering, October 2017, Pages 256–267.

Energy usage of programming languages

#3

	Energy
(c) C	1.00
(c) Rust	1.03
(c) C++	1.34
(c) Ada	1.70
(v) Java	1.98
(c) Pascal	2.14
(c) Chapel	2.18
(v) Lisp	2.27
(c) Ocaml	2.40
(c) Fortran	2.52
(c) Swift	2.79
(c) Haskell	3.10
(v) C#	3.14
(c) Go	3.23
(i) Dart	3.83
(v) F#	4.13
(i) JavaScript	4.45
(v) Racket	7.91
(i) TypeScript	21.50
(i) Hack	24.02
(i) PHP	29.30
(v) Erlang	42.23
(i) Lua	45.98
(i) Jruby	46.54
(i) Ruby	69.91
(i) Python	75.88
(i) Perl	79.58

#2



Total	
	Time
(c) C	1.00
(c) Rust	1.04
(c) C++	1.56
(c) Ada	1.85
(v) Java	1.89
(c) Chapel	2.14
(c) Go	2.83
(c) Pascal	3.02
(c) Ocaml	3.09
(v) C#	3.14
(v) Lisp	3.40
(c) Haskell	3.55
(c) Swift	4.20
(c) Fortran	4.20
(v) F#	6.30
(i) JavaScript	6.52
(i) Dart	6.67
(v) Racket	11.27
(i) Hack	26.99
(i) PHP	27.64
(v) Erlang	36.71
(i) Jruby	43.44
(i) TypeScript	46.20
(i) Ruby	59.34
(i) Perl	65.79
(i) Python	71.90
(i) Lua	82.91

	Mb
(c) Pascal	1.00
(c) Go	1.05
(c) C	1.17
(c) Fortran	1.24
(c) C++	1.34
(c) Ada	1.47
(c) Rust	1.54
(v) Lisp	1.92
(c) Haskell	2.45
(i) PHP	2.57
(c) Swift	2.71
(i) Python	2.80
(c) Ocaml	2.82
(v) C#	2.85
(i) Hack	3.34
(v) Racket	3.52
(i) Ruby	3.97
(c) Chapel	4.00
(v) F#	4.25
(i) JavaScript	4.59
(i) TypeScript	4.69
(v) Java	6.01
(i) Perl	6.62
(i) Lua	6.72
(v) Erlang	7.20
(i) Dart	8.64
(i) Jruby	19.84

#1

Pereira, R., Couto, M., Ribeiro, F., Cunha, J., Fernandes, J. P., & Saraiva, J. (2017). Energy Efficiency across Programming Languages. Proceedings of the 10th ACM SIGPLAN International Conference on Software Language Engineering, October 2017, Pages 256–267.

Computer Language Benchmark Game – benchmark game 7



<https://benchmarksgame-team.pages.debian.net/benchmarksgame/box-plot-summary-charts.html>

Computer Language Benchmark Game – fannkuck-redux

×	source	secs	225	<u>Pharo</u> Smalltalk	8 min
1.0	* <u>C gcc #6</u>	2.14	277	<u>PHP</u>	9 min
1.0	* <u>C# naot #5</u>	2.16	283	<u>Lua</u>	10 min
1.6	* <u>C++g++ #6</u>	3.33	397	<u>PHP #8</u>	14 min
1.8	* <u>Rust #6</u>	3.81	442	<u>Python 3 #6</u>	15 min
3.2	<u>Rust #4</u>	6.94	597	<u>Perl #3</u>	21 min
3.4	<u>C gcc #5</u>	7.28	673	<u>Ruby</u>	23 min
3.5	<u>Rust #5</u>	7.41		<u>Perl</u>	30 min
3.7	<u>C++ g++ #5</u>	7.86		<u>Ruby #8</u>	34 min
3.8	* <u>C# naot #9</u>	8.11		<u>Python 3 #8</u>	40 min
3.8	* <u>Swift #3</u>	8.20			

Computer Language Benchmark Game - mandelbrot

x	source	secs		
			475	<u>PHP #8</u> 7 min
1.0	<u>* C++g++ #4</u>	0.89	546	<u>Lua #3</u> 8 min
1.0	<u>* C++ g++</u>	0.90	554	Perl 8 min
1.1	<u>Rust #4</u>	0.95	561	<u>Lua</u> 8 min
1.1	<u>* C++ g++ #6</u>	0.98	586	<u>Lua #2</u> 8 min
1.2	<u>Rust #6</u>	1.08	649	<u>Ruby #4</u> 9 min
1.2	<u>Rust #7</u>	1.10		<u>Python 3 #3</u> 14 min
1.2	<u>Rust #2</u>	1.10		<u>Ruby #8</u> 15 min
1.3	<u>Rust #5</u>	1.12		<u>Python 3 #8</u> 26 min
1.3	<u>Rust #3</u>	1.15		<u>Ruby #3</u> 29 min
1.3	Chapel #3	1.18		

Pitää olla supertietokone taskussa

Adobe Flash, anyone ?

MEDIAN DESKTOP
2123.6 KB
▲309.3%


MEDIAN MOBILE
1917.4 KB
▲1224.2%

Timeseries of Total Kilobytes

Source: httparchive.org

Zoom 1m 3m 6m YTD 1y 3y All

May 16, 2011 → May 1, 2021



Sisältö

- Miten laskenta on kehittynyt ?
- Miten ohjelmointi on kehittynyt ?
- **Miten laitteet ovat kehittyneet ?**
- Onko vihreää koodausta ja ICT:tä ?



Power Mac G5 (iFixit)



Kornel

@kornel@mastodon.social

In 2003, Apple released a 64-bit dual-core 1.8Ghz system: Power Mac G5.

In 2023, Apple released a 64-bit dual-core 1.8Ghz system: Apple Watch Series 9.

The Watch is faster and has more RAM.

The G5 was too hot to put in a laptop. It'd use up S9's battery in under 2 minutes.

Dec 13, 2024, 03:56 AM · 🌐 · Web

442 boosts · 718 favorites



Sheldon Chang 🇺🇸

@sysop408@sfba.social

🌐 Dec 13, 2024 *

@kornel that's awesome, but I think you're missing the point here.

The Power Mac G5 was very difficult to wear on your wrist! I still have shoulder problems from those days.




Carbon Footprint of iPhone Per Model



- <https://8billiontrees.com/carbon-offsets-credits/carbon-footprint-of-iphone/>

Apple iPhone Carbon Emissions



Päästöt: Dell palvelin

- Valmistus: 4283kg CO₂e (R740, 2019)
- Käyttö: 201-510W, k-a 351W
- Elinaika 4 vuotta (?)
- Sähkön käytön CO₂ päästöt:
 - 3MWh/v, 12MWh/4v
 - Suomi, 32g/kWh: 394kg, **LCA osuus 8.4 %**
- Sähköä kuluu saman verran kuin ajaisi sähköautolla 15'000km/vuosi.

Table 4-2: Carbon footprint of main components of the Dell R740

Main Components	Global Warming Potential (GWP 100 years) [kg CO ₂ e]
Chassis	34.1
Fans	11.1
3.84TB Solid State Drives	3373.5
400GB Solid State Drives	64.1
Mainboard	175.3
Packaging	1.9
PSU	31.3
PWB Mixed	591.8
Total	4283.1

Life Cycle Assessment of
Dell R740



**Älypuhelimien valmistus on
99%
Elinkaaripäästöistä Suomessa**

E




Figure 8: Evolution of smartphone case joining techniques applied to the best-selling smartphones in Europe (based on market data from Counterpoint Research; market coverage denoted on top of data columns).

• https://prompt-project.eu/wp-content/uploads/2020/07/PROMPT_20200429_Environmental-Evaluation-of-Current-and-Future-Design-Rules.pdf




Figure 9: Trend towards the use of adhesives to fix the battery within smartphones among the best-selling smartphones in Europe (based on market data from Counterpoint Research; market coverage denoted on top of data columns).

https://prompt-project.eu/wp-content/uploads/2020/07/PROMPT_20200429_Environmental-Evaluation-of-Current-and-Future-Design-Rules.pdf




Figure 10: Market share of smartphones with embedded battery and smartphones with IP rating (based on market data from Counterpoint Research; market coverage denoted on top of the diagram).

https://prompt-project.eu/wp-content/uploads/2020/07/PROMPT_20200429_Environmental-Evaluation-of-Current-and-Future-Design-Rules.pdf




Figure 11: Market share of smartphones with a glass back cover (based on market data from Counterpoint Research; market coverage denoted on top of the diagram).

https://prompt-project.eu/wp-content/uploads/2020/07/PROMPT_20200429_Environmental-Evaluation-of-Current-and-Future-Design-Rules.pdf

iFixit Repairability Score

Google Pixel Fold



2023

PROS

- Google provides a free, comprehensive service manual.
- Genuine replacement parts and software calibration tools are available for end users.

CONS

- All repairs require carefully de-gluing (and later re-gluing) the outer display and/or back cover.
- Foldable smartphone repairs in general present challenges due to the inherent complexity of the product.



Scorecard v1.7
[Learn More](#)

Apple iPhone 15



2023

PROS

- Great design prioritizes screen repairs while giving access to all other parts through the back glass.
- Screws and clips aid reassembly, whether you replace the adhesives or not.

CONS

- DIY repairs are hobbled by pervasive parts pairing and deterrent messaging.



Scorecard v1.6
[Learn More](#)

Nokia G22



2023

PROS

- Easily pried open for repairs, with no adhesive mess.
- Battery replacements are well-prioritized.
- Nokia supplies parts and guides for at least four of the most common repairs.

CONS

- Screen repairs are do-able but not well prioritized.



Scorecard v1.6
[Learn More](#)

Fairphone 5



2023

PROS

- Easy to disassemble/reassemble with basic tools—no adhesive blocks the way.
- End users can replace the battery in a few seconds.
- Fairphone provides a DIY service manual and offers original replacement parts.



Scorecard v1.6
[Learn More](#)




Figure 4 iFixit repairability score the baseline model of Apple and Samsung S series.

Planned obsolescence

Ohjelmistopäivitykset

Talous


Sadat miljoonat läppärit päätyvät kierrätykseen, koska Microsoft lopettaa Windowsin tuen – kuluttajaviranomainen: on ok

Sadat miljoonat koneet jäävät ilman turvapäivityksiä, kun Microsoft lopettaa käyttöjärjestelmänsä tuen. Lue mistä on kyse, ja mitkä ovat kuluttajan vaihtoehdot.

Sisältö

- Miten laskenta on kehittynyt ?
- Miten ohjelmointi on kehittynyt ?
- Miten laitteet ovat kehittyneet ?
- **Onko vihreää koodausta ja ICT:tä ?**

Laatu / suorituskyky



Kehitysaika / hinta

Vihreä on harvoin businessstä

Vihreä koodaus = laatu koodaus

Vihreä koodaus = normi koodaus

**Laitteiden elinkaaripäästöt =
Valmistus + operointi**

EU Energy Label

Energy labelling requirements will apply to smartphones and tablets put on the EU market from 20 June 2025 onwards.


Previous labels exist for light bulbs, home appliances, cars, tyres, etc.

Smartphones and tablets will have to display information on their

- energy efficiency,
- battery longevity,
- protection from dust and water and
- resistance to accidental drops.

This is also the first time that a product placed on the EU market will be required to display a repairability score.

This energy label will help EU consumers make more informed and sustainable purchasing choices and encourage sustainable consumption.



Onko vihreä ICT oikeasti vain normaalia ICT:tä ?

**Ja nykyinen normaali ICT
on aika mustaa ?**